



# ALPHA VET

ANIMAL HEALTH SOLUTION



[WWW.ALPHAVETYEM.COM](http://WWW.ALPHAVETYEM.COM)



# VISION

**To be a trusted global leader in innovative animal nutrition solutions, enhancing livestock health, productivity and sustainability for a better future in agriculture.**

# MISSION

**We are committed to developing and delivering high-quality feed additives, vitamins, and nutritional supplements that support animal well-being, improve farm efficiency, and meet the highest standards of safety and performance. Through continuous innovation, ethical practices, and strong partnerships, we aim to empower farmers and contribute to a healthier, more productive livestock industry worldwide.**

# RECPACTA



## INDICATIONS

**Supports Respiratory Health:** Eucalyptus, menthol, and mint help open airways and ease breathing.

**Natural Antimicrobial Action:** Oregano and lime extracts aid in controlling bacterial and viral pathogens.

**Mucolytic & Expectorant:** Helps clear mucus and supports easier respiration in poultry and ruminants.

**Stress Reduction:** Soothing herbal effects support animals during heat stress or transport.

**Improves Feed Intake:** Aromatic components like mint and menthol can stimulate appetite.

## DOSAGE

### General Usage:

1 L for 2000 L of Water

**Poultry (Broilers, Layers, Breeders)**

Purpose	Dosage	Duration
Prevention	1 ml per 2 liters of drinking water	3-5 consecutive days
Treatment	1 ml per 1 liter of drinking water	5-7 consecutive days
Heat Stress	1 ml per 1.5 liters of drinking water	During stress period

**Ruminants (Calves, Goats, Sheep, Adult Cattle)**

Animal	Dosage	Duration
Calves & Lambs	5-10 ml per animal/day	3-5 days
Adult Goats/Sheep	10-15 ml per animal/day	3-5 days
Cows/Buffalo	20-30 ml per animal/day	3-7 days

or as directed by a veterinarian.

## COMPOSITIONS


Eucalyptus Oil  
Menthol (L-Menthol)  
Peppermint Extract  
Oregano Oil  
Thyme Extract  
Camphor  
Anise Oil  
Vitamin C  
Herbal Extracts  
Distilled Water

## PACKAGING

1 L, 5 L, 20 L



# ALPHA-B



## INDICATIONS

Boosts appetite and promotes faster weight gain  
Supports energy metabolism and reduces fatigue  
Maintains nerve health and proper muscle function  
Enhances immunity and stress resistance (vaccination, transport, heat)  
Improves growth rate and feed conversion in poultry and young animals  
Aids in milk production and reproductive performance in ruminants  
Supports liver detox and fat metabolism (Choline, Inositol)  
Promotes healthy skin, feathers, and hooves

## DOSAGE

**General Usage:**  
1 L for 2000 L of Water  
Can be mixed in milk, feed, or drench water.  
or as directed by a veterinarian.

## COMPOSITIONS

Vitamin B1 (Thiamine)  
Vitamin B2 (Riboflavin)  
Vitamin B3 (Nicotinamide)  
Vitamin B5 (D-Panthenol)  
Vitamin B6 (Pyridoxine)  
Vitamin B12 (Cyanocobalamin)  
Biotin (Vitamin H)  
Folic Acid  
Choline Chloride  
Inositol  
Sorbitol  
Carrier Water

## PACKAGING

1 L , 5 L , 20 L



# NEWCARE



## INDICATIONS

Promote healthy growth and development  
Strengthen the immune system  
Support digestion and nutrient absorption  
Prevent common issues like bloating and diarrhea

## DOSAGE

Calves / Lambs / Kids:  
5-10 mL per head daily in drinking water, milk, or feed  
OR  
1 liter per 100-200 liters of drinking water  
Duration:  
Use for 5-7 consecutive days, repeat as needed or as directed by a veterinarian.  
or as directed by a veterinarian.

## COMPOSITIONS


Vitamin A  
Vitamin D3  
Vitamin E  
B-Complex (B1, B2, B6, B12)  
Niacin, Biotin, Folic Acid  
Calcium, Phosphorus, Magnesium  
Zinc, Selenium, Copper, Manganese  
Amino Acids (Lysine, Methionine)  
Natural Extracts (Garlic, Ginger)  
Live cultures + enzymes

## PACKAGING

1 L, 5 L, 20 L



# LIVOGURAD



## INDICATIONS

**Boosts Liver Function & Detoxification**  
Thanks to D-Sorbitol, Choline, and Methionine  
**Supports Hydration & Electrolyte Balance**  
With Sodium, Potassium, and Magnesium  
**Enhances Energy Metabolism**  
Via Carnitine, Vitamin B2, and Vitamin B3  
**Improves Appetite & Recovery**  
Ideal during stress, heat, transport, or after antibiotic use  
**Strengthens Immune Response & Performance**  
Supports general health in both ruminants and poultry

## DOSAGE

**1 L for 2000 L of Water**  
**Poultry (Broilers, Layers, Breeders):**  
1 mL per liter of drinking water for 3–5 consecutive days  
In severe cases: 1.5–2 mL per liter for 3 days  
**Ruminants (Calves, Goats, Sheep, Cattle):**  
Calves / Lambs / Kids: 5–10 mL per head daily in water or feed  
Adult cattle / goats / sheep: 10–20 mL per head daily  
or as directed by a veterinarian.

## COMPOSITIONS


D-Sorbitol  
Sodium Chloride  
Potassium Sulphate  
Choline Chloride  
DL-Methionine  
Magnesium Sulphate  
L-Carnitine  
Vitamin B3 (Niacin)  
Vitamin B2 (Riboflavin)  
Distilled Water

## PACKAGING

1 L, 5 L, 20 L



# IB-BRO



## INDICATIONS

Opens airways and reduces respiratory congestion  
Clears mucus and improves breathing in IB, CRD, ND, etc.  
Strengthens immune response during stress, infection, or vaccination  
Supports liver function and reduces oxidative damage.

## DOSAGE

1 L for 2000 L of Water  
Routine support : 1 mL per 2 liters of drinking water | 3–5 days  
Respiratory symptoms (IB, CRD, ND): 1 mL per 1 liter of drinking water 5–7 days or until recovery  
Severe congestion / outbreak :1.5 mL per liter 3–5 days (then reduce to 1 mL) or as directed by a veterinarian.

## COMPOSITIONS

Bromhexine HCl  
N-Acetyl Cysteine (NAC)  
Taurine  
Vitamin C  
Eucalyptus Oil  
Oregano Oil (Carvacrol)  
Mint Oil  
Ginger Extract  
Nano Iodine  
Propylene Glycol    Carrier

## PACKAGING

1 L , 5 L , 20 L



# GARLIC-A



## INDICATIONS

Boosts immunity and helps fight bacterial, viral, and parasitic infections  
Improves digestion and gut health (oregano, garlic, ginger)  
Supports growth, fertility, and performance (zinc, manganese, iron)  
Prevents anemia and enhances oxygen transport (iron, vitamin C)  
Reduces stress and improves muscle and nerve function (magnesium, vitamin C)  
Promotes faster recovery during disease, stress, or vaccination.

## DOSAGE

1 L for 2000 L of Water  
**Poultry (Broilers, Layers, Breeders)**  
Prevention 1 ml per 2–3 liters of drinking water 3–5 days  
Treatment/Support 1 ml per 1 liter of drinking water 5–7 days  
Heat Stress/Recovery 1 ml per 1.5–2 liters As needed  
**Ruminants (Calves, Goats, Sheep, Cows)**  
Calves/Lambs 5–10 ml per animal/day 3–5 days  
Sheep/Goats 10–15 ml per animal/day 3–5 days  
Cattle 20–30 ml per animal/day 3–7 days or as directed by a veterinarian.

## COMPOSITIONS



Garlic Extract  
Oregano Oil (standardized carvacrol)  
Ginger Extract  
Magnesium Sulphate  
Zinc Sulphate  
Ferrous Sulphate  
Manganese Sulphate  
Vitamin C  
Distilled Water q.s.p Carrier.

## PACKAGING

1 L , 5 L , 20 L



# CALPHAVIT



## INDICATIONS

Supports bone and eggshell formation (Calcium, Phosphorus, Vitamin D3)  
Prevents rickets, milk fever, and osteoporosis  
Boosts red blood cell production and prevents anemia (Iron, Copper)  
Improves growth, immunity, and fertility (Zinc, Magnesium)  
Enhances calcium absorption (Vitamin D3)

## DOSAGE

1 L for 2000 L of Water

**Poultry:**

1 ml per 1-2 liters of drinking water

Duration: 3-5 days or as needed during stress, laying, or bone issues

**Ruminants:**

Calves/Goats/Sheep: 10-15 ml per animal/day

Cows/Buffalo: 25-40 ml per animal/day

Duration: 3-7 days or as recommended or as directed by a veterinarian.

## COMPOSITIONS



Calcium Chloride  
Phosphoric Acid  
Vitamin D3  
Iron (Ferrous Sulphate)  
Copper Sulphate  
Zinc Sulphate  
Magnesium Sulphate  
Distilled Water    q.s.p    Carrier.

## PACKAGING

1 L , 5 L , 20 L



# ALVITO-C



## INDICATIONS

**Supports immunity and infection resistance**  
**Reduces heat stress, transport stress, and vaccine reaction**  
**Aids in recovery during disease or poor appetite**  
**Dextrose provides quick energy during stress or weakness.**

## DOSAGE

**1 L for 2000 L of Water**

**Poultry:**

**1 ml per 1-2 liters of drinking water**

**Use for 3-5 days during stress, heat, or infection**

**Ruminants:**

**Calves/Sheep/Goats: 10-15 ml per animal/day**

**Cows/Buffalo: 20-30 ml per animal/day**

**Use for 3-5 days or as needed or as directed by a veterinarian.**

## COMPOSITIONS


**Vitamin C (Ascorbic Acid)**  
**Dextrose**  
**Magnesium Sulphate**  
**Citric Acid**  
**Distilled Water    q.s.p    Carrier**

## PACKAGING

**1 L , 5 L , 20 L**



# ALPHAVIT-AD3E



## INDICATIONS

Supports immunity, growth, and vision  
Improves bone strength and eggshell quality  
Enhances fertility and stress resistance  
Prevents deficiency diseases (e.g., rickets, white muscle)

## DOSAGE

1 L for 2000 L of Water.

**Poultry:**

Prevention: 1 ml per 3–5 liters of drinking water for 3–5 days

Treatment / Stress: 1 ml per 2 liters of drinking water for 5–7 days

**Ruminants:**

Calves/Lambs: 5–10 ml per animal/day

Adult Sheep/Goats: 10–15 ml per animal/day

Cattle: 20–30 ml per animal/day  
or as directed by a veterinarian.

## COMPOSITIONS


Vitamin A  
Vitamin D3  
Vitamin E  
Sorbitol  
Distilled Water    q.s.p    Carrier

## PACKAGING

1 L, 5 L, 20 L



# ALPHATOX-L



## INDICATIONS

Promotes muscle development, growth, and weight gain  
Improves egg and milk production  
Enhances feed conversion and digestive performance  
Supports stress recovery and immune response  
Boosts fertility and overall metabolism.

## DOSAGE

**General Usage:**  
1 L for 2000 L of Water  
**Poultry (Broilers, Layers, Breeders)**  
Growth & FCR 1 ml per 2 liters of drinking water 5–7 days  
Egg Production 1 ml per 1–2 liters of drinking water 5 days, every 2 weeks  
Stress/Recovery 1 ml per 1 liter during stress periods 3–5 days  
**Ruminants (Calves, Goats, Sheep, Cows)**  
Calves/Lambs 10–15 ml per animal/day 5–7 days  
Sheep/Goats 15–20 ml per animal/day 5–7 days  
Cows/Buffalo 30–50 ml per animal/day 7–10 days or as needed  
or as directed by a veterinarian.

## COMPOSITIONS


Lysine HCl  
DL-Methionine  
Threonine  
Tryptophan  
Arginine  
Glycine  
Glutamic Acid  
Vitamin B6 (Pyridoxine)  
Distilled Water q.s.p Carrier

## PACKAGING

1 L, 5 L, 20 L



# ALPHASEL-E



## INDICATIONS

- Enhances immunity and disease resistance
- Prevents muscle degeneration (white muscle disease)
- Improves fertility and reproductive performance
- Boosts antioxidant protection during stress, heat, or disease
- Supports liver and heart health

## DOSAGE

1 L for 2000 L of Water

**Poultry:**

1 ml per 2–3 liters of drinking water

Use for 3–5 days during stress, vaccination, or poor performance

**Ruminants:**

Calves/Lambs: 5–10 ml per animal/day

Sheep/Goats: 10–15 ml

Cows/Buffalo: 20–30 ml

Use for 3–5 days or as advised or as directed by a veterinarian.

## COMPOSITIONS



Vitamin E (dl-Alpha Tocopheryl Acetate)  
Selenium  
Vitamin C (Ascorbic Acid)  
Distilled Water q.s.p Carrier

## PACKAGING

1 L , 5 L , 20 L



# ALPHAMULTI



## INDICATIONS

**Improves Growth & Weight Gain in calves and young stock**  
**Enhances Milk Production and reproductive efficiency**  
**Supports Nervous System & Fertility via B-complex and trace elements**  
**Boosts Immunity and helps animals recover from stress, heat, or disease**  
**Strengthens Muscle & Bone Development through balanced minerals and vitamins.**

## DOSAGE

**1 L for 2000 L of Water**  
**Poultry (Broilers, Layers, Breeders)**  
**1 mL per liter of drinking water for 3–5 days**  
**In stress, vaccination, or recovery periods:**  
**1.5–2 mL per liter for 3 days**  
**Ruminants**  
**Calves / Lambs / Kids: 5–10 mL per head daily (in water or feed)**  
**Adult Cattle / Sheep / Goats: 10–20 mL per head daily**  
**or as directed by a veterinarian.**

## COMPOSITIONS

**Vitamin A (Retinol Palmitate)**  
**Vitamin D3 (Cholecalciferol)**  
**Vitamin E (α-Tocopherol Acetate)**  
**Vitamin B1 (Thiamine)**  
**Vitamin B2 (Riboflavin)**  
**Vitamin B6 (Pyridoxine HCl)**  
**Vitamin B12 (Cyanocobalamin)**  
**Vitamin C (Ascorbic Acid)**  
**Vitamin K3 (Menadione)**  
**D-Panthenol**  
**Nicotinamide, Biotin, Folic Acid,**  
**Choline Chloride, Magnesium Sulphate,**  
**Zinc Sulphate, Iron Sulphate, Sodium Selenite,**  
**Cobalt Sulphate, Manganese Sulphate,**  
**Calcium D-Pantothenate**  
**Monosodium Phosphate, Calcium Iodate**  
**Copper Sulphate**

## PACKAGING

**1 L , 5 L , 20 L**



# ALPHAMINO



## INDICATIONS

Promotes muscle development, growth, and weight gain  
Improves egg and milk production  
Enhances feed conversion and digestive performance  
Supports stress recovery and immune response  
Boosts fertility and overall metabolism.

## DOSAGE

1 L for 2000 L of Water  
Poultry (Broilers, Layers, Breeders)  
Growth & FCR 1 ml per 2 liters of drinking water 5-7 days  
Egg Production 1 ml per 1-2 liters of drinking water 5 days, every 2 weeks  
Stress/Recovery 1 ml per 1 liter during stress periods 3-5 days  
Ruminants (Calves, Goats, Sheep, Cows)  
Calves/Lambs 10-15 ml per animal/day 5-7 days  
Sheep/Goats 15-20 ml per animal/day 5-7 days  
Cows/Buffalo 30-50 ml per animal/day 7-10 days or as needed  
or as directed by a veterinarian.

## COMPOSITIONS

Lysine HCl  
DL-Methionine  
Threonine  
Tryptophan  
Arginine  
Glycine  
Glutamic Acid  
Vitamin B6 (Pyridoxine)  
Distilled Water q.s.p Carrier

## PACKAGING

1 L, 5 L, 20 L



# ALPHAMAX



## INDICATIONS

Increases milk yield and milk quality  
Boosts immunity, fertility, and energy  
Enhances feed efficiency and rumen performance  
Improves recovery during stress, disease, and heat  
Promotes overall health, growth, and productivity

## DOSAGE

1 L for 2000 L of Water  
or as directed by a veterinarian.

## COMPOSITIONS

Vitamin A  
Vitamin D3  
Vitamin E  
Vitamin B-Complex (B1, B2, B6, B12)  
Niacin, Folic Acid, Biotin  
Calcium, Phosphorus, Magnesium  
Trace Minerals (Zn, Se, Cu, Mn, Fe)  
Balanced trace levels  
Amino Acids (Methionine, Lysine)

## PACKAGING

1 L, 5 L, 20 L



# ALPHAFISH



## INDICATIONS

**Supports brain, vision, and fertility**  
**Enhances immune response and anti-inflammatory effect**  
**Improves feather/hair coat and skin health**  
**Aids in growth performance and reproductive efficiency**  
**Better absorption in feed/water “(Lecithin)”.**

## DOSAGE

**1 L for 2000 L of Water**  
**Poultry (Broilers, Layers, Breeders)**  
**Growth & Performance** 0.5 – 1 mL per liter of water      **5–7 days/month**  
**Immunity / Fertility boost** 1 mL per liter of water      **5–7 days before laying or breeding**  
**During stress / molting** 1 – 1.5 mL per liter      **3–5 days**  
**Ruminants (Calves, Goats, Sheep, Cattle) (Oral)**  
**Calves / Lambs** 5 – 10 mL per head daily      **5–7 days**  
**Adult goats / sheep** 10 – 20 mL per head daily      **5–7 days**  
**Adult cattle** 20 – 30 mL per head daily      **5–7 days**  
**or as directed by a veterinarian.**

## COMPOSITIONS


**Omega-3,6 fatty acids**  
**Vitamin E (α-Tocopherol)**  
**Lecithin (Emulsifier)**  
**Fish Oil      q.s.p**

## PACKAGING

**1 L , 5 L , 20 L**



# ALPHACID-O



## INDICATIONS

**Improves Growth & Weight Gain in calves and young stock**  
**Enhances Milk Production and reproductive efficiency**  
**Supports Nervous System & Fertility via B-complex and trace elements**  
**Boosts Immunity and helps animals recover from stress, heat, or disease.**  
**Improves Egg Production & Shell Quality in layers**  
**Promotes Faster Growth & FCR in broilers**

## DOSAGE

**1 L for 2000 L of Water**  
**or as directed by a veterinarian.**

## COMPOSITIONS

Vitamin A (Retinol Palmitate)	Biotin
Vitamin D3 (Cholecalciferol)	Folic Acid
Vitamin E ( $\alpha$ -Tocopherol Acetate)	Choline Chloride
Vitamin B1 (Thiamine)	Alanine
Vitamin B2 (Riboflavin)	Arginine
Vitamin B6 (Pyridoxine HCl)	Aspartic Acid
Vitamin B12 (Cyanocobalamin)	Cystine
Vitamin C (Ascorbic Acid)	Glutamic Acid
Vitamin K3 (Menadione)	Glycine
D-Panthenol	Histidine
Nicotinamide	Isoleucine
Leucine	Methionine
Lysine	Phenylalanine
Tryptophan	Proline
Tyrosine	Serine
Valine	Threonine
Distilled Water	q.s.p

## PACKAGING

**1 L , 5 L , 20 L**



# AV-ECOFEED



## INDICATIONS

Supports bone strength and growth with  
Boosts immunity and disease resistance  
Enhances milk production and quality  
Promotes faster growth rates and better  
feed conversion  
Maintains nerve health and appetite

## DOSAGE

Calves / Lambs / Kids 5–10 g per head  
per day  
Adult Sheep / Goats 10–15 g per head  
per day  
Adult Cattle 20–30 g per head per  
day  
Feed Inclusion Rate 1–2 kg per ton of  
total feed  
or as directed by a veterinarian.

## COMPOSITIONS

Contact with the  
Authorized for Composition

## PACKAGING

5 Kg, 10 Kg, 20 Kg, 25 Kg



# ALPHA FEED



## INDICATIONS

Improves milk yield, fertility, and growth  
Enhances immunity, stress resistance, and feed efficiency  
Supports bone strength, hoof quality, and liver health

## DOSAGE

Calves / Lambs / Kids 5–10 g per head per day  
Adult Sheep / Goats 10–15 g per head per day  
Adult Cattle 20–30 g per head per day  
Feed Inclusion Rate 1–2 kg per ton of total feed or as directed by a veterinarian.

## COMPOSITIONS

Contact with the  
Authorized for Composition

## PACKAGING

5 Kg, 10 Kg, 20 Kg, 25 Kg



# AV-FEEDPRO



## INDICATIONS

- Boosts appetite and promotes faster weight gain
- Supports energy metabolism and reduces fatigue
- Maintains nerve health and proper muscle function
- Enhances immunity and stress resistance (vaccination, transport, heat)
- Improves growth rate and feed conversion in poultry and young animals
- Aids in milk production and reproductive performance in ruminants
- Supports liver detox and fat metabolism
- Promotes healthy skin, feathers, and hooves

## DOSAGE

Calves / Lambs / Kids	5-10 g per head per day
Adult Sheep / Goats	10-15 g per head per day
Adult Cattle	20-30 g per head per day
Feed Inclusion Rate	1-2 kg per ton of total feed or as directed by a veterinarian.

## COMPOSITIONS

Contact with the  
Authorized for Composition

## PACKAGING

5 Kg, 10 Kg, 20 Kg, 25 Kg



# MILKOPHA



## INDICATIONS

**Boosts milk yield and fat/protein content**  
**Enhances liver health, reduces ketosis risk**  
**Supports rumen function and nutrient absorption**  
**Improves fertility, immunity, and udder condition**  
**Supports transition period and high-performance lactation**

## DOSAGE

**Dairy Cow 40–60 g**  
**Sheep/Goats 15–20 g**  
**Feed Inclusion 2.5–3.5 kg / ton feed**  
**or as directed by a veterinarian.**

## COMPOSITIONS

**Contact with the  
Authorized for Composition**

## PACKAGING



# MEATOPHA



## INDICATIONS

**Faster daily weight gain and lean muscle build-up**  
**Enhances feed efficiency and nutrient utilization**  
**Reduces stress-related losses (heat, transport, weaning)**  
**Strengthens immunity and disease resistance**  
**Promotes digestive health, gut flora balance, and appetite.**

## DOSAGE

**Beef Cattle 40–60 g**  
**Fattening Sheep/Goats 15–25 g**  
**Growing Calves/Lambs 10–15 g**  
**Feed Inclusion 2–3 kg / ton of feed or as directed by a veterinarian.**

## COMPOSITIONS

**Contact with the  
Authorized for Composition**

## PACKAGING

**5 Kg, 10 Kg, 20 Kg, 25 Kg**



# YEASTOPHA



## INDICATIONS

Improves feed conversion and weight gain  
Reduces risk of diarrhea  
Enhances immune function  
Stabilizes gut microbiota under stress

## DOSAGE

Calves/Lambs: 5–10 g/day  
Cattle/Sheep (growing): 15–30 g/day  
Poultry: 1–2 kg per ton of feed  
or as directed by a veterinarian.

## COMPOSITIONS

Active Dry Yeast (*S. cerevisiae*)  
Inactive Yeast Extract  
Yeast Cell Wall (MOS)  
Carrier (calcium carbonate) q.s.  
to 1 kg

## PACKAGING

5 Kg, 10 Kg, 20 Kg



# BUFFEROPHA



## INDICATIONS

Balances rumen pH and prevents acidosis  
Supports digestion and feed efficiency  
Boosts immunity and stress resistance  
Improves fertility and reproductive health  
Strengthens bones and joints  
Enhances milk yield and growth.

## DOSAGE

Dairy Cows: 100–200 g/day  
Beef Cattle: 50–100 g/day  
Sheep/Goats: 10–20 g/day  
or as directed by a veterinarian.

## COMPOSITIONS

Sodium Bicarbonate  
Manganese  
Carrier (e.g.,  $\text{CaCO}_3$ )      q.s. to 1 kg

## PACKAGING

5 Kg, 10 Kg, 20 Kg



# ALPHATOX ECO



## INDICATIONS

Binds major mycotoxins  
(aflatoxins, DON, ZEN, OTA)  
Supports liver function and  
gut health  
Reduces toxin-related  
stress  
Enhances immunity and  
animal performance

## DOSAGE

Poultry	1-2 kg per ton of feed	Mix directly into feed
Dairy Cattle	30-50 g per head per day	Top dress or TMR inclusion
Beef Cattle	20-40 g per head per day	TMR or feed concentrate
Sheep/Goats	10-20 g per head per day	Mixed with daily ration or as directed by a veterinarian.

## COMPOSITIONS

Bentonite (activated)  
Clinoptilolite (zeolite)  
Carrier ( $\text{CaCO}_3$ ) q.s.

## PACKAGING

5 Kg, 10 Kg, 20 Kg, 25 Kg



# ALPHATOX



## INDICATIONS

**Binds major mycotoxins  
(aflatoxins, DON, ZEN, OTA)  
Supports liver function and  
gut health  
Reduces toxin-related  
stress  
Enhances immunity and  
animal performance**

## DOSAGE

**Poultry 1–2 kg per ton of feed Mix directly into feed  
Dairy Cattle 30–50 g per head per day Top dress or  
TMR inclusion  
Beef Cattle 20–40 g per head per day TMR or feed con-  
centrate  
Sheep/Goats 10–20 g per head per day Mixed with  
daily ration  
or as directed by a veterinarian.**

## COMPOSITIONS

**Bentonite (activated)  
Clinoptilolite (zeolite)  
Sepiolite  
Silymarin  
Carrier (CaCO<sub>3</sub>)**

## PACKAGING

**5 Kg, 10 Kg, 20 Kg, 25 Kg**



# ALPHATOX YEASTED



## INDICATIONS

Binds major mycotoxins  
(aflatoxins, DON, ZEN, OTA)  
Supports liver function and  
gut health  
Reduces toxin-related  
stress  
Enhances immunity and  
animal performance

## DOSAGE

Poultry	1-2 kg per ton of feed	Mix directly into feed
Dairy Cattle	30-50 g per head per day	Top dress or TMR inclusion
Beef Cattle	20-40 g per head per day	TMR or feed concentrate
Sheep/Goats	10-20 g per head per day	Mixed with daily ration or as directed by a veterinarian.

## COMPOSITIONS

Bentonite (activated)  
Clinoptilolite (zeolite)  
Silymarin  
Yeast Cell Wall (MOS)  
Carrier ( $\text{CaCO}_3$ )

## PACKAGING

5 Kg, 10 Kg, 20 Kg, 25 Kg



# ALPHASEL-P



## INDICATIONS

Strengthens immune and antioxidant defense  
Supports fertility and reproductive health  
Enhances muscle growth and prevents deficiency  
Helps reduce stress-related performance loss.

## DOSAGE

Poultry 100–200 g per ton of complete feed  
Ruminants 5–10 g per head per day  
Swine 100–200 g per ton of feed  
Calves/Lambs 2–5 g per head per day  
(via milk replacer or starter)  
or as directed by a veterinarian.

## COMPOSITIONS

Sodium Selenite  
Selenium Yeast  
Vitamin E (Tocopherol Acetate)  
Carrier ( $\text{CaCO}_3$ )

## PACKAGING

5 Kg, 10 Kg, 20 Kg



# AV-FATTY



## INDICATIONS

Provides high-energy support for lactating and high-yielding animals  
Improves milk yield and fat content  
Enhances reproductive performance  
Heat-stable and rumen-protected for optimal absorption  
Easy to mix with feed and highly palatable.

## DOSAGE

Dairy Cows 200–500 g per head/day  
Beef Cattle 100–300 g per head/day  
Sheep/Goats 20–50 g per head/day  
or as directed by a veterinarian.

## COMPOSITIONS

Vegetable Oils (palm, sunflower)  
Salt  
Stearic Acid  
Carrier Calcium Carbonate

## PACKAGING

5 Kg, 10 Kg, 20 Kg



# AVB-STARTER



## INDICATIONS

Supports rapid growth and early development  
Enhances immunity in chicks  
Prevents vitamin and mineral deficiencies  
Promotes bone strength and feather quality  
Improves feed efficiency and survivability

## DOSAGE

2 Kg for 1000 Kg of Feed.  
or as directed by a veterinarian.

## COMPOSITIONS

Contact with the  
Authorized for Composition

## PACKAGING

5 Kg, 10 Kg, 20 Kg, 25 Kg



# AVB-GROWER



## INDICATIONS

Supports steady growth and muscle development during the grower phase  
Strengthens immunity, reducing disease risk and mortality  
Improves feed conversion and nutrient absorption  
Enhances bone strength and skeletal development  
Promotes healthy skin and feathers  
Prevents vitamin and mineral deficiencies  
Supports liver function and metabolism

## DOSAGE

2 Kg for 1000 Kg of Feed.  
or as directed by a veterinarian.

## COMPOSITIONS

Contact with the  
Authorized for Composition

## PACKAGING

5 Kg, 10 Kg, 20 Kg, 25 Kg



# AVB-FINISHER



## INDICATIONS

- Promotes muscle growth and optimal weight gain
- Improves feed conversion ratio (FCR) for efficient production
- Enhances meat quality and carcass yield
- Supports immunity to reduce disease risk before market
- Boosts antioxidant status, improving stress resistance
- Prevents late-stage deficiencies in vitamins and trace minerals

## DOSAGE

2 Kg for 1000 Kg of Feed.  
or as directed by a veterinarian.

## COMPOSITIONS

Contact with the  
Authorized for Composition

## PACKAGING

5 Kg, 10 Kg, 20 Kg, 25 Kg



# AV-REPLACER



## INDICATIONS

Supports early growth with high-quality protein and energy  
Strengthens immunity through added vitamins and trace minerals  
Improves digestion with probiotics and milk-based ingredients  
Reduces weaning stress and risk of digestive upset  
Promotes strong bones and muscle development  
Convenient and consistent alternative to natural milk

## DOSAGE

**Calves (0–6 weeks)**

**Mixing Rate:**

125–150 g powder per 1 liter of warm water (40–45°C)

**Feeding Amount:**

4–6 liters per day, divided into 2–3 feedings

**Lambs (0–6 weeks)**

**Mixing Rate:**

100 g powder per 1 liter of warm water

**Feeding Amount:**

1.0–1.5 liters per day in the first week

Increase to 2.0–2.5 liters/day by week 3–4

Divide into 3–4 feedings per day for young lambs or as directed by a veterinarian.

## COMPOSITIONS

Contact with the  
Authorized for Composition

## PACKAGING

5 Kg, 10 Kg, 20 Kg







**+90 501 146 68 14**

**export@alphavetyem.com**

**WWW.ALPHAVETYEM.COM**